<u>100</u>




FIG. 1

<u>200</u>

	Optional Compone	ents Wizard	X
	Select Plug-in Mod Select option	dules onal components to install.	
	Module	Description	
210	/	Creates embedded form for letterhead, etc Uses embedded PRESCRIBE form module Places light watermark text across pages Optional render module Kyocera PDL (PostScript emulation)	
215		< Back Next > Cancel 220 230 24	-

FIG. 2

<u>300</u>




FIG. 3

<u>400</u>




FIG. 4

<u>500</u>

<u>510</u>		PUBLIC DEVMODE AREA
520	FIXE	D SIZE HEAP AREA FOR PRIVATE DEVMODE
	<u>521</u>	PLUG-IN MODULE PRIVATE DEVMODE
	<u>522</u>	PLUG-IN MODULE PRIVATE DEVMODE
	<u>523</u>	PLUG-IN MODULE PRIVATE DEVMODE (BEING ALLOCATED)
	<u>524</u>	FREE AREA

FIG. 5

<u>600</u>

<u>6</u>	<u>10</u>		PUBLIC DEVMODE AREA
620		FIXE	ED SIZE HEAP AREA FOR PRIVATE DEVMODE
		<u>621</u>	PLUG-IN MODULE PRIVATE DEVMODE (BEING REMOVED)
		<u>622</u>	PLUG-IN MODULE PRIVATE DEVMODE (MOVES UP 个)
		<u>623</u>	PLUG-IN MODULE PRIVATE DEVMODE (MOVES UP 个)
		<u>624</u>	FREE AREA

FIG. 6




FIG. 7

:




FIG. 8

910
Initiate installation
of a printer
on the client from the server

920
Check registry entries
for any plug-in modules

930
Copy plug-in DLL files
corresponding
to the found plug-in modules

FIG. 9

from the server to the client